

SAFETY DATA SHEET

Black mica

Version

1.6

Revision Date:

10-17-2018



SECTION 1. IDENTIFICATION

Product identifier

: Black mica

Product number

: MICA S-6

Recommended use of the chemical and restrictions on use

Recommended use

:
Cosmetic raw material

Details of the supplier of the safety data sheet

Company

: Rustic Escentuals
1050 Canaan Road, Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
RusticEscentuals.com

Emergency telephone

: 1-800-424-9300 CHEMTREC (USA)
1-703-741-5970 CHEMTREC (International)
24 Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous ingredients

| Chemical name | Concentration (% w/w) | CAS-No. |
|--------------------|-----------------------|------------|
| mica (muscovite) | >= 30 - < 50 | 12001-26-2 |
| titanium(IV) oxide | >= 5 - < 10 | 13463-67-7 |

SAFETY DATA SHEET

Black mica

Version

1.6

Revision Date:

10-17-2018



SECTION 4. FIRST AID MEASURES

- If inhaled : Fresh air.
- In case of skin contact : Take off immediately all contaminated clothing. Rinse skin with water/ shower.
- In case of eye contact : Rinse out with plenty of water.
Remove contact lenses.
- If swallowed : Make victim drink water (two glasses at most). Consult doctor if feeling unwell.
- Most important symptoms and effects, both acute and delayed : We have no description of any toxic symptoms.
- Notes to physician : No information available.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : For this substance/mixture no limitations of extinguishing agents are given.
- Specific hazards during fire fighting : Not combustible.

Ambient fire may liberate hazardous vapors.
- Further information : none
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:
Avoid inhalation of dusts.
Evacuate the danger area, observe emergency procedures, consult an expert.
Advice for emergency responders:
Protective equipment see section 8.

SAFETY DATA SHEET

Black mica

Version

1.6

Revision Date:

10-17-2018



Indications about waste treatment see section 13.

Environmental precautions : No special precautionary measures necessary.

Methods and materials for containment and cleaning up : Observe possible material restrictions (see sections 7 and 10).
Take up dry. Dispose of properly. Clean up affected area.
Avoid generation of dusts.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling : Observe label precautions.

Conditions for safe storage, including any incompatibilities

Storage conditions : Risks from decomposition products: see section 10

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|--|------------|-----------------------------------|---|-----------|
| mica (muscovite) | 12001-26-2 | TWA (Respirable fraction) | 3 mg/m ³ | ACGIH |
| | | TWA (Dust) | 20 Million particles per cubic foot | OSHA Z-3 |
| | | TWA (Respirable) | 3 mg/m ³ | NIOSH REL |
| | | TWA (respirable dust fraction) | 3 mg/m ³ | OSHA P0 |
| titanium(IV) oxide | 13463-67-7 | TWA (total dust) | 15 mg/m ³ | OSHA Z-1 |
| | | TWA (Total dust) | 10 mg/m ³ | OSHA P0 |
| | | TWA | 10 mg/m ³ (Titanium dioxide) | ACGIH |
| General threshold limit value for dust | 42945 | TWA (total dust) | 50 Million particles per cubic foot | OSHA Z-3 |
| | | TWA (total dust) | 15 mg/m ³ | OSHA Z-3 |

SAFETY DATA SHEET

Black mica

Version

1.6

Revision Date:

10-17-2018



| | | | | |
|--|--|---------------------------------|---|----------|
| | | TWA (respirable fraction) | 5 mg/m ³ | OSHA Z-3 |
| | | TWA (respirable fraction) | 15 Million particles per cubic foot | OSHA Z-3 |

Engineering measures : Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See section 7.

Personal protective equipment

Respiratory protection : required when dusts are generated.

Hand protection

Additional Protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eye protection : Safety glasses

Hygiene measures : Change contaminated clothing. Wash hands after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|-----------------------------|---|
| Physical state | powder |
| Form | solid |
| Color | black |
| Odor | odorless |
| Odor Threshold | Not applicable |
| pH | 7.0 - 10.0 at 100 g/l 77 °F (25 °C) (slurry) |
| Melting point | No information available. |
| Boiling point/boiling range | Not applicable |

SAFETY DATA SHEET

Black mica

Version

1.6

Revision Date:

10-17-2018



| | |
|--|---|
| Flash point | Not applicable |
| Evaporation rate | No information available. |
| Flammability (solid, gas) | The product is not flammable. |
| Lower explosion limit | Not applicable |
| Upper explosion limit | Not applicable |
| Vapor pressure | Not applicable |
| Relative vapor density | Not applicable |
| Density | 3.5 - 3.7 g/cm ³ at 68 °F (20 °C) |
| Relative density | No information available. |
| Water solubility | at 68 °F (20 °C) practically insoluble |
| Partition coefficient: n-octanol/water | Not applicable |
| Autoignition temperature | Not applicable |
| Decomposition temperature | No information available. |
| Viscosity, dynamic | Not applicable |
| Explosive properties | Not classified as explosive. |
| Oxidizing properties | none |
| Bulk density | 300 - 340 kg/m ³ |
| Particle size | 10.0 - 60.0 µm Particle size |

SECTION 10. STABILITY AND REACTIVITY

| | |
|--------------------|---|
| Reactivity | : See below |
| Chemical stability | : The product is chemically stable under standard ambient |

SAFETY DATA SHEET

Black mica

Version

1.6

Revision Date:

10-17-2018



conditions (room temperature) .

Possibility of hazardous reactions : no information available

Conditions to avoid : no information available

Incompatible materials : no information available

Hazardous decomposition products : no information available

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Product

Carcinogenicity

IARC

Group 2B: Possibly carcinogenic to humans

titanium(IV) oxide 13463-67-7

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Likely route of exposure

Inhalation, Eye contact, Skin contact, Ingestion

Experience with human exposure

Other Relevant Toxicity Information:

The results of animal experiments using pigments of this type indicate no toxicologically relevant properties. Since the substance is poorly absorbed, no hazardous properties are to be anticipated. Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions. The individual test results were as follows: skin tolerance (rabbit): no irritant effect; eye irritation test (rabbit): no irritant effect; sensitization test (guinea pig): no sensitizing potential. LD₅₀(oral, rat): not determinable; all animals still alive after 15,000 mg/kg.

Subchronic toxicity (rat): no appreciable findings up to 50 000 ppm.

Chronic toxicity (rat): 5 % of the product added to the feed for a period of 2.5 years did not show any toxicological changes or carcinogenic effects in animals.

LC₅₀ (inhalational, rat): male animals: between 4.6 and 14.9 mg/l air; female animals: > 14.9 mg/l air.

The product did not show any genotoxic effects in the micronucleus test carried out in rats in concentrations of up to 2000 mg/kg (limit test).

Handle in accordance with good industrial hygiene and safety practice.

SAFETY DATA SHEET

Black mica

Version

1.6

Revision Date:

10-17-2018



Components

mica (muscovite) (12001-26-2):

No information available.

titanium(IV) oxide (13463-67-7):

Acute oral toxicity

LD50 Rat: > 10,000 mg/kg (External MSDS)

Skin irritation

Rabbit

Result: No skin irritation

(IUCLID)

Eye irritation

Rabbit

Result: No eye irritation

(IUCLID)

Sensitization

Local lymph node assay (LLNA) Mouse

Result: negative

Method: OECD Test Guideline 429

(ECHA)

Germ cell mutagenicity

Genotoxicity in vitro

Chromosome aberration test in vitro

Chinese hamster ovary cells

Result: negative

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

(ECHA)

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product

Persistence and degradability

No information available.

Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable

Mobility in soil

No information available.

SAFETY DATA SHEET

Black mica

Version

1.6

Revision Date:

10-17-2018



Additional ecological information

No ecological problems are to be expected when the product is handled and used with due care and attention.

Components

mica (muscovite) (12001-26-2):

No information available.

titanium(IV) oxide (13463-67-7):

Toxicity to fish

LC0 Leuciscus idus (Golden orfe): > 1,000 mg/l(External MSDS)

Toxicity to bacteria

EC0 Pseudomonas fluorescens: > 5,000 mg/l(External MSDS)

Biodegradability

(ECHA)

Not readily biodegradable.

SECTION 13. DISPOSAL CONSIDERATIONS

Product Waste : Waste material must be disposed of in accordance with national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SAFETY DATA SHEET

Black mica

Version

1.6

Revision Date:

10-17-2018



SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

mica (muscovite) 12001-26-2

titanium(IV) oxide 13463-67-7

Pennsylvania Right To Know

mica (muscovite) 12001-26-2

titanium(IV) oxide 13463-67-7

New Jersey Right To Know

mica (muscovite) 12001-26-2

titanium(IV) oxide 13463-67-7

California Prop. 65

WARNING: This product can expose you to one or more chemicals which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov
titanium(IV) oxide 13463-67-7

SAFETY DATA SHEET

Black mica

Version

1.6

Revision Date:

10-17-2018



The ingredients of this product are reported in the following inventories:

DSL : This product or its components are listed on or compliant with the DSL.

TSCA : All components of the product are listed in the TSCA-inventory.

SECTION 16. OTHER INFORMATION

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.